



Marking  
acc. to EN60062/Factory code



		Description		Article No.	Material
a	Housing	MK11 Threaded bush		4003003071	stainless steel 1.4305
	Potting compound	Wevopur 552FL		4100000182	Polyurethane, black
b	Magnet	Round magnet		4001311057	NdFeB N35H
		Min.	Typ.	Max.	Unit
	Magnetic moment (MS150)	15,2	18		$\mu\text{Vs}^*\text{cm}$
	Operating temperature			120	$^{\circ}\text{C}$
	Remarks	magnetization axial			
	Protection class	N/A			
	Mounting:	N/A			
	max. Torque	2	N		

Application				Tolerance DIN ISO 2768-m		Surface	Scale: 2:1	Weight:	
				created:	30.08.2016	wkovacs	<b>Magnet M11/M5</b>		
				checked:					
				Sheet size:	A4				
				dimensions in:	mm				
	b	min. value, of magnetic moment added	30.08.2016	w.k.	<b>StandexMeder Electronics GmbH</b> Robert-Bosch-Str.4 78224 Singen Tel.:+49(0)7731/8399-0 Fax:+49(0)7731/8399-30 <a href="http://www.standexmeder.com">www.standexmeder.com</a>			Art.Nr./DrawingNr.	2500001105
	a	potting compound was Voltatex CE 12 FW-UL	30.08.2016	w.k.				Tool Nr.	
01		issued in swx, previous versions archived in Navision	30.08.2016	w.k.				<small>PROPRIETARY AND CONFIDENTIAL            THE INFORMATION CONTAINED IN THIS DRAWING IS            THE SOLE PROPERTY OF StandexMeder Electronics GmbH. ANY            REPRODUCTION IN PART OR AS A WHOLE WITHOUT            THE WRITTEN PERMISSION OF StandexMeder Electronics GmbH            IS PROHIBITED.</small>	
Rev.	state	change	date	name	<a href="http://www.standexmeder.com">www.standexmeder.com</a>	of	1		